ORIGINAL NOT NEGOTIABLE

Test Report
Report Ref: 1071713740



In accordance with the order of M/s Aditi Organic Certification Pvt Ltd ,No.38, 1st Floor, 20th Main Road, First Block, Rajajinagar, Bengaluru - 560 010 Karnataka for the sample being deposited at the designated laboratory, we carried out the analysis of the sample.

Sample Details:		
Name of Sample	:	Black Pepper
Date of Receipt	:	28-Jul-2017
Job Ref No	:	TR/2137/17-18
Place of receipt / Lab	:	Hyderabad
Date of Issue	:	03-Aug-2017
Sample particulars	:	Seal No: 65390137 and Name of the project:ORG-1412-002004-1
Sampling	:	Sample Not Drawn by us
Analysis Starting Date	:	31-Jul-2017
Analysis Completion Date	:	02-Aug-2017
Sample Condition	:	Intact

Test Results

The above sample was analyzed by us and the results are as follows:

S.No	Test Parameter	Unit of Measurement	Test Result
1	4-bromo-2-chlorophenol	mg/kg	BLQ
2	Acephate	mg/kg	BLQ
3	Aldrin	mg/kg	BLQ
4	Chlordane (cis & trans)	mg/kg	BLQ
5	Chlorfenvinphos	mg/kg	BLQ
6	Chlorothalonil	mg/kg	BLQ
7	Chlorpyrifos	mg/kg	BLQ
8	Chlorpyrifos methyl	mg/kg	BLQ
9	DDT (all isomers)	mg/kg	BLQ
10	Diazinon	mg/kg	BLQ
11	Dichlorvos	mg/kg	BLQ
12	Dicofol	mg/kg	BLQ
13	Dieldrin	mg/kg	BLQ
14	Dimethoate(sum of dimethoate and omethoate expressed as dimethoate)	mg/kg	BLQ
15	Endosulfan (all isomers)	mg/kg	BLQ
16	Endrin	mg/kg	BLQ
17	Ethion	mg/kg	BLQ
18	Etrimphos	mg/kg	BLQ
19	Fenitrothion	mg/kg	BLQ
20	HCH (Alpha & Beta)	mg/kg	BLQ
21	Heptachlor	mg/kg	BLQ
22	Iprobenphos	mg/kg	BLQ
23	Lindane	mg/kg	BLQ
24	Malathion	mg/kg	BLQ
25	Methamidophos	mg/kg	BLQ

26	Monocrotophos	mg/kg	BLQ
27	Omethoate (refer to Dimethoate)	mg/kg	BLQ
28	Oxydemeton methyl	mg/kg	BLQ
29	Parathion ethyl	mg/kg	BLQ
30	Parathion methyl	mg/kg	BLQ
31	Phorate (Sum of phorate, its oxygen and their sulfones expressed as phorate)	mg/kg	BLQ
32	Phosalone	mg/kg	BLQ
33	Phosphamidon	mg/kg	BLQ
34	Profenofos	mg/kg	BLQ
35	Quinalphos	mg/kg	BLQ
36	Triazophos	mg/kg	BLQ

- Remarks: 1. BLQ: Below Limit of Quantification
 - 2. Quantification Limit: 0.01mg/kg for Pesticide residues
 - 3. Instrument Used: LC-MS/MS, GC-MS/MS 4. Test Method: As per AOAC 20th edition

Authorized By G Ananda Kumar Head - Laboratory

The Report cannot be reproduced except in full, with out the approval of the Company. This report is issued by the Company upon your request to certify the class, Grade and Quality of the product, or other facts relating to the product as determined by the Laboratory personnel. The above results relate to the sample tested. Any discrepancy found in the report should be brought to our notice with in 48 hours of receipt of this report. Total liability or any claim arising out of this report is limited to the invoiced amount only. Endorsement of Product is neither inferred nor implied. This report is valid until the validity period mentioned in the report or it is annulled by a superseding certificate, whichever