

Test Report

Document QF: 2501

Page 1 of 5

Issued To

ADITI ORGANIC CERTIFICATIONS PVT LTD NO-38 1st floor, 20th Main road, Rajajinagar

Bengaluru

Sample Reg. No. :F01-2003060119 Sample Reg. Date :06-03-2020 Report Date :13-03-2020 Report No. :ICF-2003130415

NABL ULR No. :TC592620000002330P Customer Ref. No.:Letter

Letter Dated :6-3-2020

Test Report as per IS:N/A With Amendment No.(s): N/A

a) Nature of Sample #	
b) Grade / Variety / Type / Class / Size etc.	Organic Red Rice
c) Brand Name	N/A
d) Declared Values, if any	NA
e) Code No.	N/A
f) Batch Number #	
g) D.O.M #	ORG-1510-001708(0033000510)
h) Date of Expiry #	15.10.2019
i) Sample Quantity #	N/A
Batch Size #	1 PACK
Mode of Packing	N/A
Date of Receipt	Packed in a poly pack
Date of Start	06-03-2020
, and a start	06-03-2020
- completion	13-03-2020
(maction that intactions ealed)	Unsealed
IO'S Signature (Signed/Unsigned)	Unsigned
Any Other Information	N/A
Submitted By	ADITI ORGANIC CERTIFICATIONS PVT LTD -
Manufactured By #	
Supplied By #	ADITI ORGANIC CERTIFICATIONS PVT LTD ADITI ORGANIC CERTIFICATIONS PVT LTD

PART B: SUPPLIMENTARY INFORMATIONS

Stiruno

13-03-2020 Reviewer

Dr. Indra Rai [Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.

(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory) (A Government Approved Test House)

86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825, Visit us: www.itclabs.com E-mail: customersupport@itclabs.com

- 1. Sample (s) not drawn by us unless otherwise stated.
- 2. Total Liability of this Laboratory is limited to the Invoiced amount.
- 3. Test certificates in full or parts shall not be used for promotional or Publicity purpose.
- 4. If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.



Test Report

Document QF: 2501

Page 2 of 5

Issued To

ADITI ORGANIC CERTIFICATIONS PVT LTD NO-38 1st floor, 20th Main road, Rajajinagar

Bengaluru

Sample Reg. No. :F01-2003060119 Sample Reg. Date :06-03-2020

Report Date

:13-03-2020

Report No.

:ICF-2003130415

NABL ULR No.

:TC592620000002330P

Customer Ref. No.:Letter Letter Dated :6-3-2020

Reference to sampling procedure, whenever applicable

: N/A

Supporting documents for the measurement taken and results derived like graphs, tables, sketches and / or b. photographs as appropriate to test reports, if any

Graph

Deviation from the test methods as prescribed in relevant ISS/WORK Instruments, if any

: N/A

PART C: TEST RESULTS

Description

Description

The material is in the form of dried mature grains of red rice, clean and wholesome, also free from extraneous matter.

S.No	. Test Parameter	Inst. Used	Maria		
Test I	Details:		Method	Requirement	Result
1.	Pesticide Residue (mg/kg)				
a.	Acephate	Lovens	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
b.	Formothion *	LCMSMS	STP/ITC/FC/022	8	BLQ(LOQ:0.01)
c.	Diazinon (Dimpylate)	GCMSMS	STP/ITC/FC/022		BLQ (LOQ:0.01
d.	Dimethoate	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
e.	Ethion	LCMSMS	STP/ITC/FC/022		
f.	Etrimfos	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
		LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
g.	Fenthion	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
h.	Fenthion-sulfone	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
i.	Iprobenfos	LCMSMS			BLQ(LOQ:0.01)
j.	Malaoxon	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
k.	Malathion		STP/ITC/FC/022		BLQ(LOQ:0.01)
1.	Methamidophos	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
m.	Omethoate	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
n.	Paraoxon-methyl	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
	Phorate (Isothioate)	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
	Phorate Sulfone	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
	Phosalone	LCMSMS	STP/ITC/FC/022		
4.	Hosalone	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
		1, ,	1		BLQ(LOQ:0.01)

Stiruno

Shikha 13-03-2020 Reviewer

Dr. Indra Rai [Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.

(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory) (A Government Approved Test House)

86, Industrial Area, Phase-I, Panchkula-134109 (Haryana) Phone: (O) 0172-2561543, 2565825,

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com

- 1. Sample (s) not drawn by us unless otherwise stated.
- 2. Total Liability of this Laboratory is limited to the Invoiced amount.
- 3. Test certificates in full or parts shall not be used for promotional or Publicity purpose.
- 4. If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.



Test Report

Document QF: 2501

Page 3 of 5

Issued To

ADITI ORGANIC CERTIFICATIONS PVT LTD NO-38 1st floor, 20th Main road, Rajajinagar

Bengaluru

Sample Reg. No. :F01-2003060119 Sample Reg. Date :06-03-2020

Report Date

:13-03-2020

Report No.

:ICF-2003130415

NABL ULR No. :TC592620000002330P

Customer Ref. No.: Letter

r.	Phosphamidon		etter Dated :6-3-2020	
s.	Profenophos	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.0
t.	Temephos	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.0
u.	Triazophos	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.0
ν.	4-Bromo-2chlorophenol *	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.0)
w.	Aldrin	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.0
X.	BHC-gamma (Lindane, gamma HCH)	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.0
у.	Chlorfenvinphos	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.0
z.	Chlorothalonil	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.0)
aa.	Chlorpyrifos	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01
ab.	Chlorpyrifos-methyl	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01
ac.	Dicofol *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01
ad.	Dieldrin	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01
ae.	Endosulfan I (alpha isomer)	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01
af.	Endosulfan II (beta isomer)	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01
ıg.	Endosulfan sulfate *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
h.	Endrin *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
i.	Fenitrothion	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
j.	Heptachlor	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
-	Hexachlorobenzene	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
	Parathion-methyl	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
	Quinalphos	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
_	Monocrotophos	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
_	Azinphos-ethyl *	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
	Penamiphos *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
10	Slutosinate-ammonium (sum et alute-	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
e	quivalents) *	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
T	hiometon	LCMSMS	STP/ITC/FC/022	

Stiruno

Shikha 13-03-2020 Reviewer

13-03-2020

Dr. Indra Rai [Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.

(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)

(A Government Approved Test House)

86, Industrial Area, Phase-I, Panchkula-134109 (Haryana) Phone : (O) 0172-2561543, 2565825,

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com

- 1. Sample (s) not drawn by us unless otherwise stated.
- 2. Total Liability of this Laboratory is limited to the Invoiced amount.
- 3. Test certificates in full or parts shall not be used for promotional or Publicity purpose.
- 4. If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.



Test Report

Document QF: 2501

Page 4 of 5

Issued To

ADITI ORGANIC CERTIFICATIONS PVT LTD NO-38 1st floor, 20th Main road, Rajajinagar

Bengaluru

Sample Reg. No. :F01-2003060119

Sample Reg. Date:06-03-2020

Report Date

:13-03-2020

Report No.

:ICF-2003130415

NABL ULR No. :TC592620000002330P

Customer Ref. No.:Letter

Letter Dated

:6-3-2020

as.	Phorate (sum of phorate, its oxygen analogue and their sulphoxides and sulphones, expressed as phorate	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
at.	Chlordane	GCMSMS	STD/ITC/DC/000	
au.	Beta HCH	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01
av.	Dichlorvos-wrong	LCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01
w.	Delta HCH		STP/ITC/FC/022	BLQ(LOQ:0.01)
ax.	Alpha HCH	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
y.	Pirimiphos-methyl, mg/kg	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
z.	Edifenphos	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
a.	Phenthoate	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
b.		LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
c.	Trichlorfon	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
d.	2,4-DDD	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
	2,4-DDE	GCMSMS	STP/ITC/FC/022	/
e.	2,4-DDT	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
f.	4,4-DDD	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
3.	4,4-DDE	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
1.	4,4-DDT	GCMSMS		BLQ (LOQ:0.01)
	Demton-S-Methyl *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
	Fenthion-sulfoxide *	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
	Fenthion-oxon *		STP/ITC/FC/022	BLQ(LOQ:0.01)
	Parathion-ethyl *	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
	Demeton-S-methyl-sulfone	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
	Glyphosate	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
	ents categories/test parameters not covered under NABL	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)

 $\textbf{NOTE:} BLQ\text{-} Below\ Limit\ Of\ Quantification\ ,\ LOQ\text{-}\ Limit\ of\ Quantification\ }$

PART D: REMARKS: Party has asked for the above tests only.

Suruno

Shikha 13-03-2020 Reviewer

13-03-2020 Dr. Indra Rai [Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.

(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory) (A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825,

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com

Disclaimer:

- 1. Sample (s) not drawn by us unless otherwise stated.
- 2. Total Liability of this Laboratory is limited to the Invoiced amount.
- 3. Test certificates in full or parts shall not be used for promotional or Publicity purpose.
- 4. If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.



Test Report

Document QF: 2501

Page 5 of 5

Issued To

ADITI ORGANIC CERTIFICATIONS PVT LTD NO-38 1st floor, 20th Main road, Rajajinagar

Bengaluru

Sample Reg. No. :F01-2003060119 Sample Reg. Date :06-03-2020 Report Date :13-03-2020 Report No. :ICF-2003130415

NABL ULR No. :TC592620000002330P

Customer Ref. No.:Letter Letter Dated :6-3-2020

*****End Of Report****

Stiruno

Shikha 13-03-2020 Reviewer

Dr. Indra Rai [Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.

(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory) (A Government Approved Test House)

86, Industrial Area, Phase-I, Panchkula-134109 (Haryana) Phone : (O) 0172-2561543, 2565825,

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com

- 1. Sample (s) not drawn by us unless otherwise stated.
- 2. Total Liability of this Laboratory is limited to the Invoiced amount.
- 3. Test certificates in full or parts shall not be used for promotional or Publicity purpose.
- 4. If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.