

## Test Report


Document QF : 2501  
Page 1 of 4

<b>Issued To</b> ADITI ORGANIC CERTIFICATIONS PVT LTD NO-38 1st floor , 20th Main road , Rajajinagar Bengaluru	<b>Sample Reg. No.</b> : F01-2003060121 <b>Sample Reg. Date</b> : 06-03-2020 <b>Report Date</b> : 13-03-2020 <b>Report No.</b> : ICF-2003130416 <b>NABL ULR No.</b> : TC592620000002331P <b>Customer Ref. No.</b> : Letter <b>Letter Dated</b> : 6-3-2020
---	---

Test Report as per IS : N/A

With Amendment No.(s): N/A

### PART A : PARTICULARS OF SAMPLE SUBMITTED

a)	Nature of Sample #	Organic Sugar Brown
b)	Grade / Variety / Type / Class / Size etc.	N/A
c)	Brand Name	NA
d)	Declared Values, if any	N/A
e)	Code No.	
f)	Batch Number #	
g)	D.O.M #	ORG-1308-000590(271/29/8)
h)	Date of Expiry #	12.09.2019
i)	Sample Quantity #	N/A
j)	Batch Size #	1 PACK
k)	Mode of Packing	N/A
l)	Date of Receipt	Packed in a poly pack
m)	Date of Start	06-03-2020
n)	Date of Completion	06-03-2020
o)	BIS Seal (Intact/Not Intact/Unsealed)	13-03-2020
p)	IO'S Signature (Signed/Unsigned)	Unsealed
q)	Any Other Information	Unsigned
r)	Submitted By	N/A
s)	Manufactured By #	ADITI ORGANIC CERTIFICATIONS PVT LTD - Bengaluru( Karnataka )
t)	Supplied By #	ADITI ORGANIC CERTIFICATIONS PVT LTD

### PART B : SUPPLIMENTARY INFORMATIONS

*Shikha*

Shikha  
13-03-2020  
Reviewer

*Dr. Indra Rai*

13-03-2020  
Dr. Indra Rai  
[Authorized Signatory]

#### Interstellar Testing Centre Pvt. Ltd.

(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)

(A Government Approved Test House)

86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone : (O) 0172-2561543, 2565825,

Visit us: www.itclabs.com E-mail : customersupport@itclabs.com

#### Disclaimer:

1. Sample (s) not drawn by us unless otherwise stated.
2. Total Liability of this Laboratory is limited to the Invoiced amount.
3. Test certificates in full or parts shall not be used for promotional or Publicity purpose.
4. If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.



## Test Report

Document QF : 2501

Page 2 of 4

### Issued To

ADITI ORGANIC CERTIFICATIONS PVT LTD  
NO-38 1st floor, 20th Main road, Rajajinagar  
Bengaluru

Sample Reg. No. : F01-2003060121

Sample Reg. Date : 06-03-2020

Report Date : 13-03-2020

Report No. : ICF-2003130416

NABL ULR No. : TC592620000002331P

Customer Ref. No.: Letter

Letter Dated : 6-3-2020

- |    |  |         |
|----|--|---------|
| a. | Reference to sampling procedure, whenever applicable   | : N/A   |
| b. | Supporting documents for the measurement taken and results derived like graphs, tables, sketches and / or photographs as appropriate to test reports, if any | : Graph |
| c. | Deviation from the test methods as prescribed in relevant ISS/WORK Instruments, if any   | : N/A   |

## PART C : TEST RESULTS

### Description

Description	Organic Sugar Brown
-------------	---------------------

S.No.	Test Parameter	Inst. Used	Method	Requirement	Result
-------	----------------	------------	--------	-------------	--------

### Test Details :

1.	Pesticide Residue (mg/kg)				
a.	Acephate *	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
b.	Formothion *	GCMSMS	STP/ITC/FC/022		BLQ (LOQ:0.01)
c.	Diazinon (Dimpylate)	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
d.	Dimethoate	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
e.	Etrimfos	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
f.	Fenthion	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
g.	Fenthion-sulfone	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
h.	Iprobenfos	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
i.	Malaoxon	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
j.	Malathion	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
k.	Methamidophos	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
l.	Omethoate	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
m.	Paraaxon-methyl	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
n.	Phorate (Isothioate)	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
o.	Phorate Sulfone	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
p.	Phosalone	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)
q.	Phosphamidon	LCMSMS	STP/ITC/FC/022		BLQ(LOQ:0.01)

*Shikha*

Shikha  
13-03-2020  
Reviewer

*Dr. Indra Rai*

13-03-2020  
Dr. Indra Rai  
[Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)  
(A Government Approved Test House)  
86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
Visit us: www.itclabs.com E-mail : customersupport@itclabs.com

### Disclaimer:

1. Sample (s) not drawn by us unless otherwise stated.
2. Total Liability of this Laboratory is limited to the Invoiced amount.
3. Test certificates in full or parts shall not be used for promotional or Publicity purpose.
4. If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.



## Test Report

Document QF : 2501

Page 3 of 4

### Issued To

ADITI ORGANIC CERTIFICATIONS PVT LTD  
NO-38 1st floor, 20th Main road, Rajajinagar  
Bengaluru

Sample Reg. No. : F01-2003060121  
Sample Reg. Date : 06-03-2020  
Report Date : 13-03-2020  
Report No. : ICF-2003130416  
NABL ULR No. : TC592620000002331P  
Customer Ref. No.: Letter  
Letter Dated : 6-3-2020

r.	Profenophos *	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
s.	Temephos *	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
t.	Triazophos	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
u.	4-Bromo-2chlorophenol	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
v.	Aldrin	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
w.	BHC-gamma (Lindane, gamma HCH)	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
x.	Chlorfenvinphos	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
y.	Chlorothalonil *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
z.	Chlorpyrifos	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
aa.	Chlorpyrifos-methyl	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ab.	Dicofol	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ac.	Dieldrin	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ad.	Endosulfan I (alpha isomer)	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ae.	Endosulfan II (beta isomer)	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
af.	Endosulfan sulfate	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ag.	Endrin	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ah.	Fenitrothion	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ai.	Heptachlor	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
aj.	Hexachlorobenzene	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ak.	Parathion-methyl	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
al.	Quinolphos	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
am.	Monocrotophos	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
an.	Azinphos-ethyl *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ao.	Fenamiphos *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ap.	Glufosinate-ammonium (sum of glufosinate, its salts, MPP and NAG expressed as glufosinate equivalents) *	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
aq.	Thiometon	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
ar.	Phorate (sum of phorate, its oxygen analogue and their sulphoxides and sulphones, expressed as phorate	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)

*Shikha*

Shikha  
13-03-2020  
Reviewer

*Dr. Indra Rai*

13-03-2020  
Dr. Indra Rai  
[Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)  
(A Government Approved Test House)  
86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
Visit us: www.itclabs.com E-mail : customersupport@itclabs.com

### Disclaimer:

1. Sample (s) not drawn by us unless otherwise stated.
2. Total Liability of this Laboratory is limited to the Invoiced amount.
3. Test certificates in full or parts shall not be used for promotional or Publicity purpose.
4. If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.



## Test Report

Document QF : 2501

Page 4 of 4

### Issued To

ADITI ORGANIC CERTIFICATIONS PVT LTD  
NO-38 1st floor, 20th Main road, Rajajinagar  
Bengaluru

Sample Reg. No. : F01-2003060121  
Sample Reg. Date : 06-03-2020  
Report Date : 13-03-2020  
Report No. : ICF-2003130416  
NABL ULR No. : TC592620000002331P  
Customer Ref. No.: Letter  
Letter Dated : 6-3-2020

as.	Chlordane	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
at.	Beta HCH	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
au.	Dichlorvos-wrong	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
av.	Delta HCH	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
aw.	Alpha HCH	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ax.	Pirimiphos-methyl, mg/kg	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
ay.	Edifenphos	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
az.	Ethion	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
ba.	Phenthoate	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
bb.	Trichlorfon	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bc.	2,4-DDD *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bd.	2,4-DDE *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
be.	2,4-DDT *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bf.	4,4-DDD *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bg.	4,4-DDE *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bh.	4,4-DDT *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bi.	Demton-S-Methyl *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bj.	Fenthion-sulfoxide *	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
bk.	Fenthion-oxon *	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)
bl.	Parathion-ethyl *	GCMSMS	STP/ITC/FC/022	BLQ (LOQ:0.01)
bm.	Demeton-S-methyl-sulfone	LCMSMS	STP/ITC/FC/022	BLQ(LOQ:0.01)

\*\*\* represents categories/test parameters not covered under NABL | \*\*\* represents outsource sample | # represents Customer Defined Fields

**NOTE :** BLQ- Below Limit Of Quantification , LOQ- Limit of Quantification

**PART D : REMARKS :** Party has asked for the above tests only.

\*\*\*\*\*End Of Report\*\*\*\*\*

*Shikha*

Shikha  
13-03-2020  
Reviewer

*Dr. Indra Rai*

13-03-2020  
Dr. Indra Rai  
[Authorized Signatory]

### Interstellar Testing Centre Pvt. Ltd.

(ISO 9001:2015 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)  
(A Government Approved Test House)  
86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)  
Phone : (O) 0172-2561543, 2565825,  
Visit us: www.itclabs.com E-mail : customersupport@itclabs.com

### Disclaimer:

1. Sample (s) not drawn by us unless otherwise stated.
2. Total Liability of this Laboratory is limited to the Invoiced amount.
3. Test certificates in full or parts shall not be used for promotional or Publicity purpose.
4. If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.